

TOOLS & EQUIPMENT

CATALOGUE

INDUSTRI

TOOLS & EQUIPMENT



'Let's Get To Work!'



What is a Musculoskeletal Disorder?

Musculoskeletal disorders (MSDs) are conditions affecting the muscles, tendons, ligaments, nerves or other soft tissues. They are normally categorised as Upper Limb MSDs or Lower Limb MSDs, or specifically Back Pain. MSDs characteristically creep on over a period of time, starting with mild discomfort which can then accelerate into acute pain. Repetitive work and prolonged standing can affect many parts of the body, but is most frequently associated with Lower Limb MSDs.

Anti-Fatigue Matting

By encouraging regular foot movement (even in static positions) as the feet and calf muscles to expand and contract, which activates the Venous Pump, pushing blood back up to the heart against the force of gravity. This naturally occurs when we walk, and an anti-fatigue mat helps to replicate the action despite users very often standing in predominantly static positions.



Ramp Mat

An Economical Anti-Fatigue Mat

- Conforms to the Slip Resistance Test, EN 13552 (Category R10).
- Open drainage holes for spill liquids.
- Made from hard wearing nbr rubber.
- Moulded bevelled edges to reduce trip hazards.
- Product Height: 10 mm

Stock Code	System Code	Size
MD-CM1005	A0005359	0.9 m x 1.5 m

Orthomat® Safety

The Original Fatigue Fighter

- Pebbled 'Textured' Surface.
- Conforms to Slip Resistance Test, EN13552 (Category R10).
- Fire tested to DIN54332 (B2), part of DIN4102.
- Product Height: 9 mm

Stock Code	System Code	Size	Colour
MD-CM1060	A0005371	0.45 m x 0.9 m	Black
MD-CM1040	A0005367	0.6 m x 0.9 m	Black/Yellow
MD-CM1045	A0005368	0.9 m x 1.5 m	Black/Yellow
MD-CM1050	A0005369	0.9 m x 18.3 m	Black/Yellow
MD-CM1055	A0005370	0.9 m x 1 m	Black/Yellow

MK3

100% Recycled Rubber & Plastic Drainage Mats.

- Anti-fatigue, non-slip, drainage and protection mat.
- Easy DIY installation with an interlocking system that conceals joints
- Product Height: 20 mm

Stock Code	System Code	Size
CM1000	A0005356	80 mm x 480 mm

Stock Code	System Code	Edging
CM1002	A0005357	480 mm x 180 mm (F)
CM1004	A0005358	480 mm x 180 mm (M)

KwikLok



100% Recycled PVC Interlocking Floor Tiles

- Made from recycled PVC – non-conductive and fire resistant.
- An ideal low cost solution for refurbishing floor surfaces.
- **PLEASE NOTE:** This product may discolour and warp if laid in areas exposed to direct sunlight.

Stock Code	System Code	Size
CM1066	A0005373	465 mm x 465 mm x 6 mm Pack of 4

Stock Code	System Code	Edging (Only on Special Order)
CM1070	A0005374	465 mm x 30 mm x 6 mm

MATTING



Fatigue-Step

Anti-slip Floor Tiles for Wet and Oily Areas.

- Interlocking open-holed tiles for general industrial use.
- Soft, yet resilient rubber floor tiles.
- Effective anti-fatigue properties for prolonged standing.
- Fatigue-step conforms to slip resistance test EN 13552 (Category R10).

System Code	14 mm	System Code	19 mm	Sizes
A0005362	SS010006	A0005360	SS010001	0.9 m x 0.9 m

System Code	Yellow	System Code	Black	Edging
A0005365	SS070002F	A0005360	SS010002F	Female Edge
A0005366	SS070002M	A0005364	SS010002M	Male Edge

Solid Fatigue-Step

Ultra-comfortable Interlocking Tiles

- Interlocking solid surface tiles made from a blend of natural rubber and nitrile.
- Tiles link together to provide a very comfortable anti-fatigue surface.
- Can withstand temperatures of up to 160°C and spillage of molten glass.
- Individual tiles can be moved and replaced with ease.
- Conforms to Slip Resistance Test, EN 13552 (Category R10).
- Optional bevelled edging in yellow or black.

System Code	Standard	Sizes
A0005362	ST010001	0.9 m x 0.9 m

Stock Code	System Code	Black	Edging
CM1030	A0005365	SS010002F	Female Edge
CM1035	A0005366	SS010002M	Male Edge

Bubble Mat

Hard Wearing Rubber Mat

- Raised surface simulates blood circulation on foot movement.
- Safety beveled edging as standard.

Stock Code	System Code	Sizes
CM1780	A0005415	0.6 m x 0.9 m Edged All Round
CM1785	A0005416	0.6 m x 1.2 m Edged All Round

Diamond Thread

Ideal Safety Matting for Welding Bays

- Heavy-duty 'diamond thread' top surface.
- Comfortable foam backing offers superior fatigue relief.
- Flame retardant top surface.
- Fire test classificaion of CI-S1.
- Ideal for welding bays and demanding industrial use.
- Supplied with ramped edges all round.

Stock Code	System Code	Sizes
CM1135	A0005385	0.6 m x 0.9 m

Unimat

The Only "Drainable" Rubber Runner

- Versatile open-holed rubber runner.
- Excellent drainage properties.
- A real asset in helping to prevent slipping in wet/oily areas.
- Easy to roll up and move to new locations.
- Easily cleaned for extended wear and tear.
- Ideal for event caterers.


Stock Code	System Code	Sizes
CM1800	A0005417	0.9 m x Linear Meter

COBA Switch VDE


Electrical Switchboard Matting

- Lightweight mat designed for use in front of open switchboards and high voltage equipment.
- Provides safety for operatives against electric shock.
- Fine fluted surface has slip-resistance benefits.
- 4.5 mm x 10 m Rolls – VDE Approved.
- Tested to 50,000 Volts according to DIN EN60243 1 (VDE0303 part 21) IEC 60243-2:1996.

Stock Code	System Code	Sizes
CM1085	A0005375	1 x m per Linear Meter



MATTING



Stud Flooring

Stock Code	System Code	Sizes
CM1115	A0005381	1.2 m x per Linear Meter



Rice Sheeting

Stock Code	System Code	Sizes
CM1110	A0005380	1.2 m x per Linear Meter




Pyramid Sheeting

Stock Code	System Code	Sizes
CM1100	A0005378	1.2 m x per Linear Meter



Rhomboid

Stock Code	System Code	Sizes
CM1105	A0005379	1.2 m x per Linear Meter



Rubber Crumb

Stock Code	System Code	Sizes
CM1095	A0005377	1.2 m x per Linear Meter




Premier Grip

Ideal for shower rooms and swimming pool walkways Easy to roll up, clean and relocate.

- Flexible, hygienic pvc floor tile.
- Reduces slipping on wet surfaces.
- Textured top surface.
- Comfortable to walk on barefoot.
- Holes provide efficient drainage of water.
- Underside studs enhance drainage.
- Easy to roll up, clean and relocate.
- Interlocking tiles allows diy install to cover any desired size or floor space area.
- Popular applications: change rooms, showers, semi-covered external entrance mat.
- Optional edging available.

System Code	Grey	System Code	Black	Sizes
A0005418	PG060001	A0005419	PG010001	30 cm x 45 cm



Vyna-Plush

Ideal for shower rooms and swimming pool walkways

- Budget doormat offering all-round performance
- Scrapes dirt and wipes moisture
- 100% Polypropylene fibre scraping surface
- Slip & stain-resistant pvc stay in place backing

System Code	Black	Sizes
CM1750	MF010001	0.6 m x 0.9 m
CM1755	MF010002	0.9 m x 1.5 m
CM1760	MF010003	1.2 m x 1.8 m



MicroFibre Doormat

Washable Microfibre Doormat with Super Absorbency.

- Exceptional multi-action entrance mat using hygienic microfibre technology.
- Superior 'brushed and wiping' with 'rapid dry' properties – even out-performs cotton.
- The flexible, ultra-fine fibres (even finer than a human hair) provides a deep-cleaning action on passing footwear.
- Effectively penetrates those hard to reach treads on footwear and wheeled trolleys.
- Friction from the fibres generates a static charge that attracts and traps.
- The filament structure creates a capillary effect for improved dirt retention/absorbency.
- Environmentally-friendly – does not require any chemical pre-treatment or washing detergents.

System Code	Black	Sizes
A0005412	MF010001	0.6 m x 0.9 m
A0005413	MF010002	0.9 m x 1.5 m
A0005414	MF010003	1.2 m x 1.8 m



First Step

Tacky Mats for Contamination Control.

- A hygienic pad of peel-off adhesive coated, disposable sheets manufactured from an anti-microbial agent to protect against bacteria, mould and mildew.
- Once applied to the floor, the self-adhesive backing keeps the mat in place.
- The 'tacky' sheets capture dirt and dust from footwear and wheeled equipment for contamination control.
- When the top sheet becomes soiled, simply peel off to reveal a clean layer.
- Adhesive backed pads stick directly to the floor surface
- Ideal for hospitals, clean rooms, general industrial and food contact applications.

System Code	White	Sizes
A0005386	WC000004	0.45 x m x 1.17 m

MATTING

COBArib

- Manufactured from hardwearing natural rubber.
- Fine ribbed surface has effective slip-resistance.
- Provides insulation from cold concrete floors.
- Can be used on workbenches.


Stock Code	System Code	Sizes
CM1090	A0005376	0.9 m x per Linear Meter



GripSafe

Gives Surfaces Enhanced Grip

- Ideal non-slip liner for bars, shelves and trays.
- Easy-to-cut and trim to shape.
- Machine washable.
- Manufactured from foam PVC.



CM1130

Stock Code	System Code	Sizes
CM1130	A0005384	0.9 m x per Linear Meter
CM1125	A0005383	0.9 m x per Linear Meter



Knee-Saver

Take the Strain out of Kneeling

- Reduces knee pain and lower back stress caused by regular kneeling.
- Light-weight to carry - only 0.35 Kg per pad - with a carry handle.
- Resistant to oils and chemicals.
- Product Height: 25 mm



CM1130

Stock Code	System Code	Sizes
CM1145	A0005387	530 mm x 360 mm



GRP Stair Nosing

Designed to Help Prevent Slips on Stairs

- Suitable for use on existing or newly-built steps.
- Manufactured with a chamfered backedge for additional safety.
- Bright colour for visibility, meeting data requirements.

Stock Code	System Code	Sizes
CM1195	A0005397	1 m x 55 mm x 55 mm



Gripfoot

Designed to Help Prevent Slips on Stairs

- Abrasive grit "anti-slip" products with self-adhesive backing
- Versatile for floor surfaces, machinery and vehicles.
- Conforms to slip resistance test en 13552 (category r13).
- **Gripfoot Conformable** - ideal for diamond treadplates, curved or irregular surfaces.
- The self-adhesive foiled backing, allows for "rolling" or "hammering" to shape.

Stock Code			System Code			Sizes
Black	Clear	Conform	Black	Clear	Conform	
CM1150	CM1155	Request	A0005388	A0005389	-	25 mm x 18.3 m
CM1160	CM1165	CM1190	A0005390	A0005391	A0005396	50 mm x 18.3 m
CM1170	CM1175	Request	A0005392	A0005393	GF010002	102 mm x 18.3 m
CM1180	CM1185	Request	A0005394	A0005395	GF010003	152 mm x 18.3 m



COBAtape

- Self-adhesive backed pvc floor tape, designed to effectively mark lines on floors.
- For pedestrian use only.
- **PLEASE NOTE:** The surface needs cleaning prior to adhesion.

Black	Green	Blue	Red	Yellow	White	Size
TP010002	TP040002	TP020002	TP030002	TP070002	TP130002	50 mm x 33 m
Black	Green	Blue	Red	Yellow	White	Size
CM1205	CM1215	CM1210	CM1220	CM1230	CM1225	50 mm x 33 m
Red/White		Black/Yellow		White/Green		Size
TP130302		TP010702		TP130402		50 mm x 33 m
Red/White		Black/Yellow		White/Green		Size
CM1245		CM1235		CM1240		50 mm x 33 m



MATTING



CablePro GP

A General Purpose Cable Protector Available in 3 m or 9 m Lengths

- Reduce trip hazards caused by trailing cables.
- Protect cables and wires from being pulled or crushed causing costly damage.
- Hazard strip version for increased visibility.




GP1

GP1 Safety



GP2

GP2 Safety



Technical Specifications

Material	PVC
Environmental Resistance	Inside/Outside Use
Installation Method	Loose Lay
Country of Origin	China

CablePro GP	Colour	3 m	9 m
GP1	Black	CP010012	CP010005
GP1 Safety	Black/Yellow	CP010711	CP010701
GP2	Black	CP010013	CP010006
GP2 Safety	Black/Yellow	CP010712	CP010702



CablePro Data

Multiple Channels for Telephone, Power or Ethernet Cables


- Ideal for keeping multiple cable types
- A steam in base for snapping in cables
- Easy to roll up, clean and relocate

CablePro Data	Colour	3 m	9 m
Data 1	Black	CP010011	CP010003
Data 2	Black	CP010710	CP010004

Data 1



Data 2





CablePro HD

Two Heavy-Duty Options for Areas with Heavy Traffic on Larger Cables



- Tough ramped edges to keep cables.
- Larger 23 mm diameter channels.
- Accomodate heavy-duty cables.
- Withstands traffic up to 6 tonnes.



HD1



HD2



CablePro Mat

Mat Designed to be Laid Over Cables to Reduce Trip Hazard

- Special mat for protection from tripping hazards due to loose cables lying around.
- Extremely durable nylon surface in dappled colour shades.
- Cleated non-slip backing made from durable airtille rubber with intergrated cable run.
- Edge in hazard stripe.
- Light-resistant and suitable for underfloor heating.
- Anti-static

Technical Specifications

Material	PVC
Environmental Resistance	Inside/Outside Use
Installation Method	Loose Lay
Country of Origin	China

CablePro HD	Colour	3 m	4.5 m	9 m
HD1	Black	CP010007	-	CP010001
HD2	Black	-	CP010009	CP010002

Technical Specifications

Material	Nylon
Production Height	13 mm
Environmental Resistance	Inside Use Only
UV Resistance	Yes
Installation Method	Loose Lay
Country of Origin	China

Part Code

Size

CP010701	0.4 m x 1.2 m
----------	---------------

